



## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.





Rhododendron catawbiense compacta

**SURPLUS AT VERY LOW PRICES  
EARLY SPRING SHIPMENT, 1932**

*Azaleas, Rhododendrons, Kalmias, Pieris  
Hemlocks, Lilies, Trilliums, Cypripediums*

**E. C. ROBBINS**

*Collector and Nurseryman*

**ASHFORD : McDowell County : NORTH CAROLINA**

### Hardy Native Lilies and Bulbous Plants

		100, Each	1,000, Each
3,400	ARISÆMA triphyllum . . . . .	\$0 07	\$0 06
4,500	CONVALLARIA majalis . . . . .	05	04
5,000	DICENTRA eximia. Medium size . . . . .	06	05
20,000	ERYTHRONIUM americanum. Collected . . . . .	03	02
8,500	LILIUM canadense. First size . . . . .	11	10
5,000	Second size . . . . .	04	03
1,500	carolinianum. First size . . . . .	12	10
4,000	Second size . . . . .	06	04
5,000	grayi. Strong second size . . . . .	07	06
4,500	superbum. First size . . . . .	07	06
5,000	Second size . . . . .	04	03
20,000	Third size . . . . .	02	01
10,000	NARCISSUS. Home grown; assorted; yellow. Flowering size . . . . .	03	02
17,500	TRILLIUM erectum. First size . . . . .	03	02
11,000	Second size . . . . .		01
12,500	grandiflorum. XX largest . . . . .	06	04
48,400	Strong first size . . . . .	03	02
25,000	Second size . . . . .	02	01
20,000	stylosum. Medium size . . . . .	04	03
15,000	undulatum. First size . . . . .	03	02

**6 per cent Discount when Cash accompanies your Order**

# Hardy Native Deciduous Trees and Shrubs

		100 Each	1,000 Each
370	ACER dasycarpum. 4 to 6 feet . . . . .	\$0 20	\$0 16
570	6 to 8 feet . . . . .	30	25
2,000	pennsylvanicum. 6 to 12 inches. Seedlings . . . . .	05	04
340	saccharum. 3 to 4 feet . . . . .	27	24
200	4 to 6 feet . . . . .	35	31
120	6 to 8 feet . . . . .	50	
700	spicatum. 6 to 12 inches. Seedlings . . . . .	04	03
3,640	ÆSCULUS octandra. 9 to 18 inches. Seedlings . . . . .	04	03
105	ALNUS viridis. 2 to 3 feet . . . . .	40	
50	3 to 5 feet . . . . .	50	
5,000	6 to 12 inches. Collected . . . . .	07	06
460	AMELANCHIER lævis. 2 to 3 feet . . . . .	36	35
770	ARONIA arbutifolia. 1 to 2 feet . . . . .	16	15
1,000	melanocarpa. 1 to 2 feet . . . . .	14	11
600	2 to 4 feet . . . . .	26	24
730	AZALEA arborescens. 9 to 12 inches. X-heavy clumps . . . . .	90	85
22,000	calendulacea. 9 to 18 inches. Clumps . . . . .	70	65
6,000	1½ to 2 feet. Clumps . . . . .	1 00	90
15,000	2 to 4 feet. Collected clumps . . . . .	60	55
11,000	4 to 5 feet. Collected clumps . . . . .	85	80
45,000	Cut-back collected clumps . . . . .	14	12
2,325	canescens. 9 to 18 inches. Clumps . . . . .	65	60
650	1½ to 2 feet. Clumps . . . . .	85	80
15,000	Cut-back collected clumps . . . . .	20	18
25,000	2 to 3 feet. Collected clumps . . . . .	65	60
6,725	nudiflora. 6 to 12 inches. Clumps . . . . .	40	36
1,500	1 to 1½ feet. Clumps . . . . .	85	80
2,760	1½ to 2 feet. Clumps . . . . .	1 35	1 30
17,500	Cut-back collected clumps . . . . .	18	16
6,265	vaseyi. 6 to 12 inches . . . . .	36	35
1,740	1 to 1½ feet . . . . .	90	85
400	1½ to 2 feet . . . . .	1 75	
25,000	4 to 12 inches. Collected seedlings . . . . .	14	12
7,500	Cut-back collected clumps . . . . .	26	25
1,000	BERBERIS thunbergi. 2 to 3 feet . . . . .	25	24
260	BETULA lenta. 3 to 4 feet . . . . .	30	26
25,000	COMPTONIA asplenifolia. 1 to 2 feet. Collected . . . . .	11	09
3,000	CORNUS florida. 4 to 12 inches. Seedlings . . . . .	05	04
1,500	CRATÆGUS coccinea. 6 to 9 inches. Seedlings . . . . .	11	09
700	punctata. 4 to 6 inches. Seedlings . . . . .	07	06
25,000	CYTISUS scoparius. 4 to 12 inches. Seedlings . . . . .	11	09
430	EUONYMUS americanus. 1 to 2 feet . . . . .	18	16
1,250	HALESIA tetraptera. 6 to 12 inches. Seedlings . . . . .	06	05
10,000	HAMAMELIS virginiana. 4 to 6 inches. Seedlings . . . . .	06	05
750	6 to 12 inches . . . . .	11	10
3,200	HYDRANGEA paniculata grandiflora. 1 to 2 feet . . . . .	16	15
1,500	2 to 4 feet . . . . .	36	34
325	radiata. 1½ to 3 feet . . . . .	26	25
1,885	ILEX verticillata. 9 to 18 inches . . . . .	12	11
4,500	MENZIESIA pilosa. 1½ to 2 feet. Collected . . . . .	20	18
15,000	MIMOSA pudica. 4 to 12 inches. Seedlings . . . . .	04	03
10,000	1 to 1½ feet. Seedlings . . . . .	06	05
3,000	OXYDENDRUM arboreum. 1 to 2 feet . . . . .	14	12
1,500	2 to 3 feet . . . . .	24	22
1,500	POPULUS tremuloides. 2 to 3 feet . . . . .	20	18
1,500	QUERCUS alba. 6 to 12 inches. Seedlings . . . . .	04	03
1,250	palustris. 6 to 12 inches. Seedlings . . . . .	04	03
1,620	prinus. 6 to 12 inches. Seedlings . . . . .	04	03
5,000	RHUS canadensis. 4 to 12 inches. Seedlings . . . . .	10	09
750	copallina. 2 to 3 feet . . . . .	18	16
275	typhina. 6 to 8 feet . . . . .	45	40
5,500	RUBUS odoratus. 1 to 2 feet. Collected . . . . .	08	07

HARDY NATIVE DECIDUOUS TREES AND SHRUBS, continued		100 Each	1,000 Each
500	<i>SALIX discolor</i> . 6 to 8 feet . . . . .	\$0 65	\$0 60
4,500	<i>SAMBUCUS pubens</i> . 1 to 2 feet . . . . .	15	14
500	<i>SPIRÆA tomentosa</i> . 4 to 5 feet . . . . .	40	35
750	<i>vanhouttei</i> . 4 to 5 feet . . . . .	36	35
340	<i>STUARTIA pentagyna</i> . 1 to 2 feet . . . . .	45	40
300	<i>SYRINGA vulgaris</i> . 3 to 5 feet . . . . .	60	55
670	<i>VACCINIUM pallidum</i> . 2 to 3 feet . . . . .	50	46
6,500	1½ to 3 feet. Collected . . . . .	30	26
575	<i>VIBURNUM cassinoides</i> . 6 to 12 inches . . . . .	14	13
500	1 to 2 feet . . . . .	26	25
500	2 to 3 feet . . . . .	36	35
3,000	<i>ZANTHORHIZA apiifolia</i> . 4 to 12 inches . . . . .	11	10
All above strong nursery-grown plants, unless otherwise stated			

## Hardy Native Evergreen Trees and Shrubs

		100 Each	1,000 Each
500	<i>ABELIA grandiflora</i> . 4 to 6 feet . . . . .	\$0 75	\$0 70
5,350	<i>ABIES concolor</i> . 2 to 4 inches. Seedlings . . . . .	04	03
1,260	4 to 6 inches . . . . .	14	13
17,500	<i>fraseri</i> . 6 to 12 inches . . . . .	09	08
2,500	1 to 2 feet . . . . .	45	40
750	2 to 3 feet . . . . .	1 10	1 00
500	3 to 4 feet . . . . .	2 10	2 00
100,000	4 to 12 inches. Collected seedlings . . . . .	04	03
22,500	<i>ILEX opaca</i> . 3 to 6 inches . . . . .	09	08
2,500	6 to 12 inches . . . . .	18	16
800	<i>JUNIPERUS communis depressa</i> . 12 to 15 inches . . . . .	20	18
1,000	3 to 5-foot spread . . . . .	2 50	2 35
400	<i>virginiana</i> . 9 to 18 inches . . . . .	24	23
375	5 to 6 feet . . . . .	3 00	2 85
5,000	<i>KALMIA latifolia</i> . 4 to 12 inches . . . . .	16	14
12,335	9 to 12 inches. X-heavy clumps . . . . .	70	65
4,500	1 to 2 feet. Heavy clumps . . . . .	1 10	1 00
1,000	2 to 3 feet. XX-heavy clumps . . . . .	1 50	1 40
15,000	1 to 2 feet. Collected clumps . . . . .	45	40
25,000	2 to 3 feet. Collected clumps . . . . .	60	55
5,000	3 to 4 feet. Collected clumps . . . . .	1 00	90
3,000	<i>LEUCOTHOE catesbæi</i> . 6 to 12 inches . . . . .	15	14
15,000	9 to 12 inches. Extra-heavy clumps . . . . .	40	36
14,500	1 to 2 feet. Extra-heavy clumps . . . . .	60	55
25,000	Cut-back collected clumps . . . . .	15	14
1,100	<i>PICEA canadensis</i> . 1 to 1½ feet . . . . .	30	26
13,000	<i>excelsa</i> . 6 to 12 inches . . . . .	11	10
1,500	1 to 1½ feet . . . . .	20	18
3,170	<i>mariana</i> . 6 to 12 inches . . . . .	11	10
570	1 to 2 feet . . . . .	40	35
11,000	<i>pungens</i> . 4 to 6 inches . . . . .	10	08
1,500	6 to 9 inches . . . . .	16	14
125	1½ to 2 feet . . . . .	3 15	3 00
7,500	<i>PIERIS floribunda</i> . 9 to 12 inches. Clumps . . . . .	80	75
30,000	Cut-back collected clumps . . . . .	22	20
25,000	1½ to 3 feet. Collected clumps . . . . .	1 00	90
5,000	3 to 4 feet. Collected clumps . . . . .	1 40	1 30
8,500	<i>PINUS strobus</i> . 9 to 12 inches . . . . .	11	09
11,500	1 to 1½ feet . . . . .	16	14
4,550	1½ to 2 feet . . . . .	35	30
5,060	2 to 3 feet . . . . .	65	60
2,470	3 to 4 feet . . . . .	1 40	1 30
1,500	<i>THUJA occidentalis</i> . 6 to 12 inches . . . . .	11	09
3,200	1 to 2 feet . . . . .	30	28
4,655	2 to 3 feet . . . . .	60	50
600	3 to 4 feet . . . . .	2 15	2 00
350	4 to 6 feet . . . . .	3 15	3 00

HARDY NATIVE EVERGREEN TREES AND SHRUBS, continued		100 Each	1,000 Each
17,190	TSUGA canadensis. 6 to 12 inches . . . . .	\$0 14	\$0 12
51,000	1 to 2 feet . . . . .	26	24
4,600	2 to 3 feet . . . . .	1 85	1 75
800	3 to 4 feet . . . . .	3 30	3 25
500	4 to 5 feet . . . . .	5 00	4 90
12,580	caroliniana. 6 to 12 inches . . . . .	24	20
560	1 to 1½ feet . . . . .	60	50
3,500	RHODODENDRON carolinianum. 6 to 12 inches . . . . .	30	26
26,400	9 to 12 inches. Heavy clumps . . . . .	80	70
7,500	1 to 1½ feet. Heavy clumps . . . . .	1 15	1 00
2,500	1½ to 2 feet. Heavy clumps . . . . .	1 60	1 50
27,500	Cut-back collected clumps . . . . .	20	18
15,000	2 to 4 feet. Collected clumps . . . . .	1 50	1 40
6,500	carolinianum album. 3 to 5 feet. Collected clumps . . . . .	2 15	2 00
7,500	Cut-back collected clumps . . . . .	35	30
10,630	catawbiense. 4 to 6 inches . . . . .	16	14
10,350	6 to 12 inches . . . . .	22	20
31,900	9 to 12 inches. Heavy clumps . . . . .	80	70
12,700	1 to 1½ feet. Heavy clumps . . . . .	1 10	1 00
3,500	1½ to 2 feet. Heavy clumps . . . . .	1 80	1 75
8,750	2 to 3 feet. Collected clumps . . . . .	1 35	1 30
4,500	3 to 4 feet. Collected clumps . . . . .	2 10	2 00
2,600	4 to 5 feet. Collected clumps . . . . .	4 50	4 00
65,000	Cut-back collected clumps . . . . .	20	18
5,400	catawbiense compacta. 4 to 6 inches . . . . .	24	22
5,500	6 to 12 inches . . . . .	30	28
4,750	6 to 12 inches. Clumps . . . . .	1 10	1 00
2,600	3 to 5 feet. X quality collected clumps . . . . .	11 00	10 00
35,000	Cut-back collected clumps X quality . . . . .	40	36

We claim the largest stock in the world of the true native  
Rhododendron catawbiense compacta

10,860	maximum. 6 to 12 inches . . . . .	16	15
26,750	8 to 12 inches. Heavy clumps . . . . .	60	55
12,000	1 to 2 feet. X-heavy clumps . . . . .	1 15	1 00
1,500	2 to 3 feet. X-heavy clumps . . . . .	1 60	1 50
15,000	1 to 2 feet. Collected clumps . . . . .	50	45
10,000	2 to 3 feet. Collected clumps . . . . .	75	70
6,000	3 to 4 feet. Collected clumps . . . . .	1 10	1 00
4,500	4 to 5 feet. Collected clumps . . . . .	2 60	2 50

All above strong nursery-grown plants, unless otherwise stated

## Hardy Vines, Climbers, and Creepers

	100 Each	1,000 Each
25,000 AMPELOPSIS engelmanni. Collected . . . . .	\$0 03	\$0 02
4,500 CELASTRUS scandens. 6 to 12 inches. Seedlings . . . . .	04	03
2,000 2 to 4 feet . . . . .	18	16
5,600 CLEMATIS virginiana . . . . .	05	04
1,100 DIOSCOREA villosa . . . . .	06	05
12,500 EPIGÆA repens. Collected clumps . . . . .	07	06
25,000 GALAX aphylla. Collected clumps . . . . .	06	05
15,000 GAULTHERIA procumbens. Collected clumps . . . . .	07	06
35,000 HOUSTONIA serpyllifolia. Collected . . . . .	07	06
32,750 IRIS cristata. Clumps . . . . .	07	06
7,500 verna. Clumps . . . . .	07	06
30,000 LONICERA japonica halliana. Light collected . . . . .	04	03
17,500 Strong collected . . . . .	06	05
1,500 PHLOX stolonifera . . . . .	08	07
3,500 SEDUM telephoides. Clumps . . . . .	14	12
25,000 ternatum . . . . .	05	04
35,000 SHORTIA galacifolia. Strong collected . . . . .	08	06

**6 per cent Discount when Cash accompanies your Order**



**6 per cent Discount when Cash accompanies your Order**

## Hardy Native Ferns

	100 Each	1,000 Each
27,800 ADIANTUM pedatum . . . . .	\$0 04	\$0 03
15,000 ATHYRIUM filixfemina . . . . .	05	04
1,500 BOTRYCHIUM virginianum . . . . .	06	05
40,000 DICKSONIA punctilobula. Clumps . . . . .	03	02
8,500 DRYOPTERIS hexagonoptera . . . . .	04	03
1,000 filixmas . . . . .	11	10
15,290 marginalis . . . . .	05	04
20,000 spinulosa . . . . .	05	04
3,500 ONOCLEA sensibilis . . . . .	05	04
15,400 OSMUNDA cinnamomea. Clumps . . . . .	06	05
7,500 claytoniana. Clumps . . . . .	07	06
7,600 regalis . . . . .	07	06
25,000 POLYPODIUM vulgare. Collected clumps . . . . .	07	06
35,000 POLYSTICHUM acrostichoides . . . . .	04	03
3,500 PTERETIS nodulosa. X strong . . . . .	07	06
15,000 PTERIDIUM aquilinum. Collected . . . . .	03	02

## Hardy Aquatic and Bog Plants

	100 Each	1,000 Each
2,000 ACORUS calamus . . . . .	\$0 04	\$0 03
5,000 ASTER puniceus. Clumps . . . . .	04	03
1,500 CALTHA palustris . . . . .	07	06
2,500 CHELONE glabra . . . . .	05	04
4,000 lyoni . . . . .	05	04
2,000 CICUTA maculata . . . . .	04	03
5,000 DIONÆA muscipula . . . . .	10	08
2,000 IRIS pseudacorus. X strong . . . . .	11	10
1,500 versicolor. X strong . . . . .	07	06
2,500 MERTENSIA virginica . . . . .	10	09
2,000 SARRACENIA drummondii . . . . .	14	12
3,000 flava . . . . .	11	10
2,000 psittacina . . . . .	14	12
5,500 purpurea . . . . .	11	10
2,000 rubra . . . . .	14	12
3,000 TYPHA latifolia . . . . .	05	04
25,000 VACCINIUM macrocarpon. Collected . . . . .	04	03
1,500 VERATRUM viride. X strong . . . . .	10	09

## Hardy Native Orchids

	100 Each	1,000 Each
4,500 CYPRIPEDIUM acaule. First size . . . . .	\$0 12	\$0 10
5,000 Second size . . . . .	04	03
7,500 pubescens. First size . . . . .	11	09
4,000 Second size . . . . .	04	03
3,500 spectabile. 1 to 3 flowering crowns . . . . .	20	18
225 4 to 6 crowns, heavy clumps . . . . .	1 00	85
1,500 HABENARIA psycodes . . . . .	12	10
2,430 ORCHIS spectabilis . . . . .	08	06

Select your needs and let us have your order. Write now. It is very important that orders be placed at earliest possible date to better enable us to hurry shipments off when shipping season arrives. Free packing, f. o. b., Ashford, North Carolina. All good quality, transplanted or collected as stated. Complete catalogue will be sent on request.



# Hardy Native Herbaceous Perennials

## Nursery Grown

		100 Each	1,000 Each
2,500	ACONITUM uncinatum . . . . .	\$0 07	\$0 06
1,500	ACTÆA alba . . . . .	07	06
1,000	rubra . . . . .	09	08
3,000	AQUILEGIA canadensis . . . . .	07	06
3,500	ARUNCUS sylvester . . . . .	07	06
2,000	ASARUM shuttleworthii . . . . .	07	06
3,000	ASCLEPIAS tuberosa. Medium size . . . . .	09	07
4,500	BAPTISIA tinctoria . . . . .	06	05
2,500	CAMPANULA divaricata . . . . .	06	05
2,500	CAREX fraseri . . . . .	10	08
1,500	CAULOPHYLLUM thalictroides . . . . .	04	03
2,000	CHAMÆLIRIUM luteum . . . . .	06	05
2,000	CIMICIFUGA americana . . . . .	06	05
5,600	racemosa. X strong . . . . .	05	04
2,000	CLINTONIA borealis . . . . .	05	04
2,265	umbellulata . . . . .	05	04
1,500	COREOPSIS lanceolata . . . . .	05	04
5,000	DAHLIAS. Assorted . . . . .	15	11
5,300	EUPATORIUM purpureum . . . . .	06	05
4,600	GENTIANA andrewsi . . . . .	05	04
3,000	GEUM montanum . . . . .	10	08
4,000	GILLENIA trifoliata . . . . .	07	05
5,000	HELENIUM autumnale. Clumps . . . . .	06	04
17,840	HEPATICA acutiloba . . . . .	06	04
1,500	triloba . . . . .	08	07
4,000	HEUCHERA americana . . . . .	07	05
3,500	villosa . . . . .	07	05
1,500	HOUSTONIA purpurea . . . . .	07	05
25,000	HYDRASTIS canadensis. 2-year plants . . . . .	04	02
15,000	3-year plants . . . . .	07	05
1,100	LIATRIS pycnostachya . . . . .	08	07
1,500	spicata . . . . .	07	06
4,100	LOBELIA cardinalis . . . . .	07	06
4,000	syphilitica . . . . .	07	06
500	PANAX quinquefolium. 1-year plants . . . . .	04	03
2,500	PHLOX divaricata . . . . .	11	09
3,550	PODOPHYLLUM peltatum . . . . .	05	04
5,400	POLYGONATUM commutatum. Strong . . . . .	05	04
2,500	SANGUINARIA canadensis . . . . .	06	05
2,500	SAXIFRAGA michauxi . . . . .	12	10
1,500	SILENE stellata . . . . .	07	05
2,000	virginica . . . . .	11	09
700	SISYRINCHIUM angustifolium . . . . .	06	05
1,250	SMILACINA racemosa . . . . .	05	04
1,130	STENANTHIUM robustum. First size . . . . .	10	08
3,200	Second size . . . . .	06	04
1,500	THERMOPSIS carolinianum . . . . .	12	10
500	TIARELLA cordifolia . . . . .	07	06
1,000	UVULARIA grandiflora . . . . .	06	05
1,500	perfoliata . . . . .	06	05
1,100	sessilifolia . . . . .	06	05
4,000	VERNONIA noveboracensis . . . . .	06	05
1,230	VERONICA virginica . . . . .	08	07
3,000	VIOLA blanda . . . . .	05	04
5,000	cucullata . . . . .	05	04
1,300	hastata . . . . .	07	06
1,200	lanceolata . . . . .	07	06
7,000	pedata. Strong . . . . .	06	05
6,000	Light . . . . .	03	02
1,500	rotundifolia . . . . .	06	05
1,250	sagittata . . . . .	06	05
2,500	XEROPHYLLUM asphodeloides . . . . .	10	08
1,500	ZYGADENUS muscætoxicus . . . . .	07	05

